

Innovative
Packaging systems

Since 1980



**CHIUDITRICI E
COPERCHIATRICI**
*CLOSING AND
LIDDING MACHINES*

CHIUDITRICI E COPERCHIATRICI



MACCHINE CHIUDITRICI

La gamma di macchine chiuditrici è dedicata alla chiusura di scatole con coperchio a seguito del loro riempimento.

Le chiuditrici possono essere lineari in caso di alta velocità o di scatola con coperchio a 1 lembo; oppure angolari per scatole con coperchio a 3 lembi.

Le chiuditrici hanno moto continuo.

La chiusura della scatola avviene con colla a caldo (hot-melt) o ad incastro.

La velocità è regolabile elettronicamente fino a 200 scatole al minuto.

Il cambio formato è semplice e rapido.

CLOSING MACHINES

Our closing machines are designed to close boxes with lids after being filled with the products.

The closing machines can be linear, for high speed solutions or if boxes have 1-flap lids; or angular in case of boxes with 3-flaps lids

Vimco closing machines have a continuous movement. The boxes can be closed by means of hot melt glue or interlocking system.

The speed is electronically adjustable up to maximum 200 boxes per minute.


The format change is quick and easy.

MODELLI DISPONIBILI:

- **CH998:** chiuditrici lineari per scatole con coperchi a 1 lembo
- **CH1003:** chiuditrici lineari ad alta velocità
- **CH890:** chiuditrici angolari per scatole con coperchi a 3 lembi
- **CHIUDITRICI SPECIALI**

AVAILABLE MODELS:

- **CH998:** closing machine for boxes with one flap lid
- **CH1003:** high-speed linear closing machine
- **CH890:** angular closing machine for boxes with three-flaps lids
- **SPECIAL CLOSING MACHINES**



CLOSING AND LIDDING MACHINES



MACCHINE COPERCHIATICI

La gamma di coperchiatrici Vimco è dedicata al **posizionamento e all'incollatura di coperchi di cartone su vassoi o display box**, partendo da fustellato steso.

La velocità è regolabile elettronicamente fino a un massimo di 20 scatole al minuto nella versione a singola testa di coperchiatura. È possibile realizzare la macchina nella versione a **doppia testa per velocità più elevate (fino a 40 cpm)**, in funzione delle velocità richieste e delle caratteristiche del fustellato.

LIDDING MACHINES

The range of Vimco lidding machines is **dedicated to the positioning and gluing of cardboard lids on trays or display boxes**. The lids are formed from flat blanks.


The speed is electronically adjustable up to a maximum of 20 boxes per minute for machines with a single lidding head. It is possible to design machines with a **double head for a higher speed (up to 40 pcs/min)**, depending on the required speed and the characteristics of the blanks.

MODELLI DISPONIBILI:

- **VLM100:**
coperchiatrice automatica a caminetto, velocità max 20cpm per testa
- **LM100:**
coperchiatrice automatica, velocità max 18cpm per testa
- **COPERCHIATICI SPECIALI**

AVAILABLE MODELS:



- **VLM100:**
vertical lift lidding machine, max speed 20pcs/min per head
- **LM100:**
lidding machine, max speed 18pcs/min per head
- **SPECIAL LIDDING MACHINES**



CHIUDITRICI LINEARI
LINEAR CLOSING MACHINES



CHIUDITRICI ANGOLARI
ANGULAR CLOSING MACHINES



COPERCHIATICI AUTOMATICHE
LIDDING MACHINES



Vimco S.r.l.
Piazzetta Osvaldo De Bortoli, 1
22073 Fino Mornasco • Como • Italy
tel.+39 031 929539 • vimco@vimco.it • www.vimco.it